



**Max Compact  
Interior Plus**

**interior**


**for  
people  
who  
create**

# Max Compact Interior Plus

## The best laminate for superior interior finishes

Max Compact IP are high pressure laminates (HPL) manufactured to standard EN 438-4 Type CGS for demanding applications (e. g. office furniture, wall cladding, wet rooms, etc.) with a double-hardened, pore-free surface sealed with urethane acrylate for applications in heavily frequented areas with higher cleaning or hygiene requirements, such as in hospitals, schools, kindergartens, sanitary rooms in hotels and in public areas or buildings with occasionally increased risk of infection (airports, train stations), industrial kitchens and public transport.

Even especially at largely frequented rooms the Max Compact Laminates pays off. Because pollution and graffiti are removed free of residues. Test series approve: Max Compact Interior Plus has excellent disinfecting and hygienic properties. Even aggressive cleaners are unable to harm it. Due to the double hardened closed surface of Interior Plus, it shows a stand alone resistance against environmental influence.



### DISINFECTANT PROPERTIES

Due to its outstandingly surface Max Compact Panels Interior Plus are easy to clean and easy to disinfect also, like e.g. stainless steel or operating room tiles.

### CLEANING

Max Compact panels not only score with their decorative properties. Reduced cleaning expenses help saving costs and Max Compact panels look brand-new again even after heavy contamination.

PHYSICAL DATA	TEST METHOD	ACTUAL VALUE
Density	EN 438	≥ 1,35 g/cm <sup>3</sup>
OPTICAL PROPERTIES	TEST METHOD	ACTUAL VALUE
Light-fastness (Greyscale)	EN 438	≥ 4
Water vapour diffusion resistance	EN 438	≥ 4
MECHANICAL PROPERTIES	TEST METHOD	ACTUAL VALUE
Flexural strength	EN 438	≥ 80 MPa
Modulus of elasticity	EN 438	≥ 9000 MPa
Tensile strength	EN 438	≥ 60 MPa
Fire behaviour	EN 13501-1	on request in F-Quality B-s2, d0
Scratch resistance		≥ 3,5 N
Chemical resistance		not depending on colour (24h Test) All solvents Hydrochloric acid      10% Phosphoric acid        10% Acetic                      10% Hydrogen peroxide      30% Sodium hypochlorite    13% Soda lye                    25% Ammonia                  25%

**APPLICATIONS**

- hospitals, nursing homes
- areas with high hygienic demands
- school buildings, kindergarten
- public swimming baths, sauna
- sanitary rooms in hotels and in the public
- buildings with occasionally higher infection risk (airports, railway stations)
- canteen kitchens, foodstuff industry
- public traffic

**ADVANTAGES OF INTERIOR PLUS**

- dense surface
- easy to disinfect
- durable
- stable
- easy to clean
- easy to clean from limescale
- highly resistant
- many formats
- many decors


Practically all areas where aggressive or acid cleaners (eg. cleaning agents, descaler) are used often for cleaning and where a durable hygienic dense surface is required.



## Max Compact IP - Range of decors

Pulsating colours, rough urbanity or impressive naturalness: thanks to its large decor variety the Max Compact IP range of decors opens up all possibilities.

### colour




0091




0753




0080



0085



0742



0741



0074



0747



0075



0077



0776



0070




6087




0647



0736



0851



0065



0654



0674



0689



3003



0691



0680



3007




0717



0237



0702



0706



0712



0703




0725




0623



0059



0592



0663



0662

DUE TO THE PRINTING PROCESS, THE ORIGINAL PATTERNS MAY DIFFER FROM THE IMAGES IN THIS BROCHURE.



0591



0611



0612



0056



0617



0631



0645



0657



0768




0692




0661




5032



0073




0066



0733



0627



0651



0693

DUE TO THE PRINTING PROCESS, THE ORIGINAL PATTERNS MAY DIFFER FROM THE IMAGES IN THIS BROCHURE.

## nature



0919



0922



0601



5171




5172



5173



0923



0924



0935



0925



0926



0936



0927



0801



0803



0928



0929



0930



0931



0161



0932



0168



0169



0160

## material



0156



0798



0793



0794



0386



0387



0162



0158



0159



0028



0026



0027



0394



0344



0496



0497



0421



0406



0426



0427




0428



0429



0480



0481


## metallic



5032 + Glitter




0080 + Glitter



0768 + Glitter



0056 + Glitter




0077 + Glitter



0066 + Glitter

DUE TO THE PRINTING PROCESS, THE ORIGINAL PATTERNS MAY DIFFER FROM THE IMAGES IN THIS BROCHURE.



DECOR TYPE	DECOR NO.	DECOR NAME	SURFACE	NEAREST NCS CODE	FORMATS (mm)				GRAIN
					2800 x 1300	4100 x 1300	2800 x 1854	4100 x 1854	
<b>COLOUR</b>									
U	0056	Atlantis	IP	S 3040-B40G	♦	♦	♦	♦	N
U	0059	Dark Green	IP	S 5020-G			♦	♦	N
U	0065	Ivory	IP	S 0510-Y20R	♦	♦	♦	♦	N
U	0066	Sand	IP	S 1505-Y20R	♦	♦	♦	♦	N
U	0070	Carbon Grey	IP	S 7502-B	♦	♦	♦	♦	N
U	0073	Pale Ivory	IP	S 0505-G90Y			♦	♦	N
U	0074	Pastel Grey	IP	S 2500-N	♦	♦	♦	♦	N
U	0075	Dark Grey	IP	S 5000-N	♦	♦	♦	♦	N
U	0077	Charcoal	IP	S 7005-R50B	♦	♦	♦	♦	N
U	0080	Black	IP	S 9000-N	♦	♦	♦	♦	N
U	0085	White	IP	S 0502-G50Y	♦	♦	♦	♦	N
U	0091	Starlight	IP	S 0502-R50B	♦	♦	♦	♦	N
U	0237	Gentian Blue	IP	S 5040-R80B	♦	♦	♦	♦	N
U	0591	Fir Green	IP	S 7020-B90G	♦	♦	♦	♦	N
U	0592	Kiwi Green	IP	S 1015-G40			♦	♦	N
U	0611	Pale Olive	IP	S 2010-G90Y	♦	♦	♦	♦	N
U	0612	Olive	IP	S 5020-G70Y	♦	♦	♦	♦	N
U	0617	Petrol Green	IP	S 6020-B30G			♦	♦	N
U	0623	Green	IP	S 4040-G10Y	♦	♦	♦	♦	N
U	0627	Hygienic Beige	IP	S 2010-Y40R	♦	♦	♦	♦	N
U	0631	Turquoise	IP	S 6020-B10G	♦	♦	♦	♦	N
U	0645	Tobacco	IP	S 4020-Y30R	♦	♦	♦	♦	N
U	0647	Golden Yellow	IP	S 1050-Y10R	♦	♦	♦	♦	N
U	0651	Cream	IP	S 0907-Y50R	♦	♦	♦	♦	N
U	0654	Jasmin	IP	S 1515-Y20R			♦	♦	N
U	0657	Sepia Brown	IP	S 8010-Y50R	♦	♦	♦	♦	N
U	0661	Terracotta	IP	S 4040-Y80R	♦	♦	♦	♦	N
U	0662	Jade Green	IP	S 4010-G30Y	♦	♦	♦	♦	N
U	0663	Reseda Green	IP	S 1510-G20Y			♦	♦	N
U	0674	Mars Red	IP	S 1580-Y90R	♦	♦	♦	♦	N
U	0680	Wine Red	IP	S 5040-R10B	♦	♦	♦	♦	N
U	0687	Maize	IP	S 0520-Y20R	♦	♦	♦	♦	N
U	0689	Dark Red	IP	S 2570-Y80R	♦	♦	♦	♦	N
U	0691	Purple	IP	S 4550-Y90R	♦	♦	♦	♦	N
U	0692	Old Pink	IP	S 4020-Y60R	♦	♦	♦	♦	N
U	0693	Orchid	IP	S 2010-Y80R			♦	♦	N
U	0702	Night Blue	IP	S 8010-R70B	♦	♦	♦	♦	N
U	0703	Dove Blue	IP	S 3020-B10G	♦	♦	♦	♦	N
U	0706	Glacier Blue	IP	S 2010-B			♦	♦	N
U	0712	Steel Blue	IP	S 4030-B	♦	♦	♦	♦	N
U	0717	Atlantic	IP	S 2060-R90B	♦	♦	♦	♦	N
U	0725	Yellowish Green	IP	S 1060-G60Y	♦	♦	♦	♦	N
U	0733	Hygienic White	IP	S 0804-Y30R	♦	♦	♦	♦	N
U	0736	Saffron	IP	S 1050-Y20R	♦	♦	♦	♦	N
U	0741	Birch Grey	IP	S 2002-G50Y	♦	♦	♦	♦	N
U	0742	Pebble Grey	IP	S 1002-Y	♦	♦	♦	♦	N
U	0747	Medium Grey	IP	S 4502-Y	♦	♦	♦	♦	N
U	0753	Cool Grey Medium	IP	S 3502-B	♦	♦	♦	♦	N
U	0768	Sparrow	IP	S 6005-Y20R	♦	♦	♦	♦	N
U	0776	Concrete Grey	IP	S 4005-B20G	♦	♦	♦	♦	N
U	0851	Winter White	IP	S 0505-Y30R	♦	♦	♦	♦	N
U	3003	Rubinus Red	IP	S 2570-R	♦	♦	♦	♦	N
U	3007	Black Red	IP	S 8010-R10B			♦	♦	N
U	5032	Cinnamon	IP	S 3560-Y30R	♦	♦	♦	♦	N

DECOR TYPE	DECOR NO.	DECOR NAME	SURFACE	NEAREST NCS CODE	FORMATS (mm)				GRAIN
					2800 x 1300	4100 x 1300	2800 x 1854	4100 x 1854	
<b>NATURE</b>									
H	0160	Dark Afro	IP		♦	♦	♦	♦	R
H	0161	Light Afro	IP		♦	♦	♦	♦	R
H	0168	Akro Rust	IP		♦	♦	♦	♦	R
H	0169	Akro Ruby	IP		♦	♦	♦	♦	R
H	0601	Sun Pear	IP		♦	♦	♦	♦	R
H	0801	Fir Platinum	IP		♦	♦	♦	♦	R
H	0803	Tyrol Pine	IP		♦	♦	♦	♦	R
H	0919	Ecuador	IP		♦	♦	♦	♦	R
H	0922	Amazon	IP		♦	♦	♦	♦	R
H	0923	Enigma	IP		♦	♦	♦	♦	R
H	0924	Taurus	IP		♦	♦	♦	♦	R
H	0925	Butterfly	IP		♦	♦	♦	♦	R
H	0926	Jazz	IP		♦	♦	♦	♦	R
H	0927	Creek	IP		♦	♦	♦	♦	R
H	0928	Gold Coast	IP		♦	♦	♦	♦	R
H	0929	Antique	IP		♦	♦	♦	♦	R
H	0930	Phoenix	IP		♦	♦	♦	♦	R
H	0931	Akro Almond	IP		♦	♦	♦	♦	R
H	0932	Akro Terra	IP		♦	♦	♦	♦	R
H	0935	Voyager	IP		♦	♦	♦	♦	R
H	0936	Thunder	IP		♦	♦	♦	♦	R
H	5171	Polar Oak	IP		♦	♦	♦	♦	R
H	5172	Marshland Oak	IP		♦	♦	♦	♦	R
H	5173	Barrique Oak	IP		♦	♦	♦	♦	R
<b>MATERIAL</b>									
M	0026	Prado Alu Grey	IP		♦	♦	♦	♦	R
M	0027	Prado Agate Grey	IP		♦	♦	♦	♦	R
M	0028	Prado Brown	IP		♦	♦	♦	♦	R
M	0156	Afro Patina	IP		♦	♦	♦	♦	R
M	0158	Afro Grey	IP		♦	♦	♦	♦	R
M	0159	Afro Black	IP		♦	♦	♦	♦	R
M	0162	Afro Sahara	IP		♦	♦	♦	♦	R
M	0344	Riverside	IP		♦	♦	♦	♦	R
M	0386	Blues	IP		♦	♦	♦	♦	R
M	0387	Reggae	IP		♦	♦	♦	♦	R
M	0394	Moonwalk	IP		♦	♦	♦	♦	R
M	0406	Rockstar	IP		♦	♦	♦	♦	R
M	0421	Venus	IP		♦	♦	♦	♦	R
M	0426	Loft	IP		♦	♦	♦	♦	R
M	0427	Skyline	IP		♦	♦	♦	♦	R
M	0428	Cave	IP		♦	♦	♦	♦	R
M	0429	Corro	IP		♦	♦	♦	♦	R
M	0480	Kings Cross	IP		♦	♦	♦	♦	R
M	0481	Satellite	IP		♦	♦	♦	♦	R
M	0496	Colosseum	IP		♦	♦	♦	♦	R
M	0497	Stonehenge	IP		♦	♦	♦	♦	R
M	0793	Patina Tin	IP		♦	♦	♦	♦	R
M	0794	Patina Bronze	IP		♦	♦	♦	♦	R
M	0798	Tambora	IP		♦	♦	♦	♦	R
<b>METALLIC</b>									
S	0056 + G	Atlantis + Glitter	IP		♦	♦			R
S	0066 + G	Sand + Glitter	IP		♦	♦			R
S	0077 + G	Charcoal + Glitter	IP		♦	♦			R
S	0080 + G	Black + Glitter	IP		♦	♦			R
S	0768 + G	Sparrow + Glitter	IP		♦	♦			R
S	5032 + G	Cinnamon + Glitter	IP		♦	♦			R

**LEGEND**

♦ = NO QUANTITY LIMIT, DELIVERY TIME PROVIDED UPON REQUEST.  
 R = THIS DESIGN IS UNI-DIRECTIONAL. PLEASE NOTE FOR OPTIMIZATION AND CUTTING.  
 N = THIS DESIGN IS MULTI-DIRECTIONAL. YOU CAN TURN IT WHEN CUTTING.

PROTECTIVE LAMINATE COVER FOR TRANSPORT AVAILABLE FOR AN EXTRA CHARGE.

U = COLOUR  
 H = NATURE  
 M = MATERIAL  
 S = METALLIC

FORMATS: TOLERANCES +10-0 MM; PANEL FORMATS ARE PRODUCTION FORMATS. IF EXACT DIMENSIONS AND ANGLES ARE NECESSARY, WE RECOMMEND AN ALL-SIDED BLANK, DEPENDING ON THE METHOD OF TRIMMING, NET SIZE IS REDUCED BY CA. 10 MM.

FUNDERMAX FRANCE  
3 Cours Albert Thomas  
F-69003 Lyon  
Tel.: + 33 (0) 4 78 68 28 31  
Fax: + 33 (0) 4 78 85 18 56  
infofrance@fundermax.fr  
www.fundermax.fr

FUNDERMAX SPAIN  
Pol. Ind. Can Salvatella Avda. Salvatella, 85-97  
E-08210 Barberà del Vallès (Barcelona)  
Tel.: + 34 93 729 63 45  
Fax: + 34 93 729 63 46  
info.spain@fundermax.biz  
www.fundermax.es

FUNDERMAX INDIA  
Pvt. Ltd.  
No. 13, 1st floor, 13th Cross, Wilson Garden  
Bangalore – 560 027  
Tel.: + 91 80 4112 7053  
Fax: + 91 80 4112 7053  
officeindia@fundermax.biz  
www.fundermax.at

FUNDERMAX POLSKA Sp. z o.o.  
ul. Rybitwy 12  
PL-30 722 Kraków  
Tel.: + 48 12 653 45 28  
Fax: + 48 12 657 05 45  
infopoland@fundermax.biz

FUNDERMAX SWISS AG  
Industriestrasse 38  
CH-5314 Kleindöttingen  
Tel: +41 (0) 56 268 83 11  
Fax: +41 (0) 56 268 83 10  
www.fundermax.ch  
infoswiss@fundermax.biz

## **FunderMax GmbH**

Klagenfurter Straße 87-89, A-9300 St. Veit/Glan  
T +43 (0) 5/9494-0, F +43 (0) 5/9494-4200  
office@fundermax.at, www.fundermax.at